IN THE CLAIMS

1. (Previously amended) A method of injection well construction comprising:

drilling a borehole through an injection zone of a formation having formation fluid therein;

running, into the borehole, casing including an extendable assembly comprising a fixed portion and a moveable portion having a filter media at its distal end so that the extendable assembly is positioned adjacent a site in the injection zone;

providing a production well in the formation discrete from said borehole;

extending the moveable portion of the extendable assembly to contact the formation forming a conduit between an interior of the casing and the formation; and

injecting fluids into the well through the conduit to drive said formation fluid to said production well.

- 2. (Original) The method of claim 1, further comprising the step of: cementing the casing in place after the extending step, but before the injecting step.
- 3. (Original) The method of claim 1, wherein an injection pressure exceeds a fracture pressure of the injection zone.
- 4. (Previously amended) The method of claim 1, wherein the casing further includes a plurality of extendable assemblies so that each assembly is positioned adjacent a site in the injection zone.
- 5. (Currently amended) The method of claim 4, wherein the plurality comprises between about ± 2 and about 20 of extendable assemblies per square foot of casing within the injection zone.
- 6. (Original) The method of claim **4**, wherein the plurality comprises between about 1 and about 12 of extendable assemblies per square foot of casing within the injection zone.
- 7. (Original) The method of claim **4**, wherein the plurality comprises between about 1 and about 4 of extendable assemblies per square foot of casing within the injection zone.
- 8. (Previously amended) A method of injection well construction comprising:
 drilling the well with a conventional drilling fluid to a point above a target injection zone;

displacing the conventional drilling fluid with a "Drill-In Fluid;" drilling the remaining borehole through the injection zone;

running, into the borehole, casing including an extendable assembly comprising a fixed portion and a moveable portion having a filter media at its distal end so that the extendable assembly is positioned adjacent a site in the injection zone;

extending the moveable portion of the extendable assembly to contact the formation forming a conduit between an interior of the casing and the formation;

injecting fluids into the well through the conduit;

displacing, with said injecting, fluids in the formation into a production well that is discrete from said borehole for production to the surface.

- 9. (Original) The method of claim **8**, further comprising the step of: cementing the casing in place after the extending step, but before the injecting step.
- 10. (Original) The method of claim **8**, wherein an injection pressure exceeds a fracture pressure of the injection zone.
- 11. (Previously amended) The method of claim **8**, wherein the casing further includes a plurality of extendable assemblies so that each assembly is positioned adjacent a site in the injection zone.
- 12. (Currently amended) The method of claim 11, wherein the plurality comprises between about ± 2 and about 20 of extendable assemblies per square foot of casing within the injection zone.
- 13. (Original) The method of claim 11, wherein the plurality comprises between about 1 and about 12 of extendable assemblies per square foot of casing within the injection zone.
- 14. (Original) The method of claim 11, wherein the plurality comprises between about 1 and about 4 of extendable assemblies per square foot of casing within the injection zone.
- 15. (Currently amended) An injection system comprising:
- a well borehole extended into and through an injection zone of a productive formation,
- a casing run into the borehole and including an extendable assembly comprising a at least one member having a fixed portion and a moveable portion having a filter media

at its distal end so that the extendable assembly is positioned adjacent a site in the injection zone and subsequently extended into the site of the injection zone forming to form a conduit from an interior of the casing to the formation, well completion tubing and equipment,

- a fluid system for injecting a fluid into the formation through the casing and out said conduit; and
- a production well discrete from said borehole in communication with the formation to receive formation fluids displaced by said fluid system.
- 16. (Previously amended) The system of claim 15, wherein the casing further includes a plurality of extendable assemblies so that each assembly is positioned adjacent a site in the injection zone.
- 17. (Currently amended) The system of claim 16, wherein the plurality comprises between about ± 2 and about 20 of extendable assemblies per square foot of casing within the injection zone.
- 18. (Original) The system of claim **16**, wherein the plurality comprises between about 1 and about 12 of extendable assemblies per square foot of casing within the injection zone.
- 19. (Original) The system of claim **16**, wherein the plurality comprises between about 1 and about 4 of extendable assemblies per square foot of casing within the injection zone.